

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 8

600

Security level table		
Level	Value	Encryption algorithm
Strong	03h	Triple-DES
Medium	02h	DES
Weak	01h	AES
None	00h	No encryption

FIG. 9

609

Algorithm table	
Number	Encryption algorithm
0	Triple-DES
1	DES
2	AES
3	No encryption

FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22

Command name	SELECT	READ RECORD	INTERNAL AUTHENTICATE
CLA(1byte)	00h	00h	00h
INS(1byte)	A4h	B2	88h
P1(1byte)	XXh	Record Number	00h
P2(1byte)	00h	XXh	00h

FIG. 23

b8	b7	b6	b5	b4	b3	b2	b1	Meaning
0	0	0	0	0	0	0	0	Select MF, DF and EF
0	0	0	0	0	0	0	1	Select child DF
0	0	0	0	0	0	1	0	Select EF under current DF
0	0	0	0	0	0	1	1	Select parent DF of current DF
0	0	0	0	0	1	0	0	Direct selection by DF name
0	0	0	0	1	0	0	0	Select from MF
0	0	0	0	1	0	0	1	Select from current DF
								Any other value: Not specified

FIG. 24




FIG. 25

b8	b7	b6	b5	b4	b3	b2	b1	Meaning
0	0	0	0					Common command
1	0	0	0					Unique command

FIG. 26A




FIG. 26B

